

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## Errata in Mr. Gompertz's Paper in Part II. of Philosophical Transactions for 1820.

Page Line 220 4 for 'a+y' put 'a+x'—lines 11 and 20, dele 'n' in the denominator.

- 221 21 the second symbol should be  $\frac{y}{m} a, b, c$
- 223 4 before 'chance' insert 'value of the.'
- 224 2 and 5 in the symbol, before the second a, insert a comma—line 15, insert : before a"—five lines from the bottom, for 'c' put 'C'—line 2 from the bottom, for 'proved' read 'provided.'
- 226 13 in the 2d and 3d symbol, put 'n' for 'm'—and in the 4th, put 'p' for 'y' —in the first symbol in the bottom line, put 'n' for 'm'—and for the

3d symbol  $\frac{p}{m}$  C

- 227 6 for 'will' read' will be'-line 7, in symbol, write 'n' for 'm', and for 'r' write 'r'—line 14, put 'r' in the lower angle in the right of the symbol, thus  $\frac{p}{n} | a, b, c$
- 228 1, 3, 4, and 11, for where there is nothing in the lower angle, write
- 9, under the first \( \Delta \) put \( b \) for \( a \)—line 2 from the bottom, between 220 ": and a" put "+".
- 2 from bottom, put a dash over the second T.
- 232 12 for 'n' put 'm'-line 13, for 'Mx' put 'M'.
- 233 8 for '9457' put '4597'.
- 236 7 for 'F' put 'E'—line 11, for 'a & c' put 'b'.
- 240 8 in the second formula, for 'r + 1' put 'r + x'.
- 243 19 for 'form' put 'from'.
- 244 11 for 'q x' read 'q + x.
- 246 12 for last 'p' put 'q'.
- 247 16 include the last 'L' with the expression of line 17 in '()'.
- 251 11 for 'K' write 'k'.
- 255 14 and 15, for '+' write ' ... '.
- 256 2 for 'L' write 'L'.
- 258 4 from bottom, dash over the first 'K'.
- 260 7 from bottom, insert '-' before 'the.'

## [ 585 ]

```
Page Line
```

- 262 1 insert ' X' before the last 'n'—line 9, for 'of' read 'if'.
- 265 1 dele 'or last'-line 4, for the last 'L' write 'L.'
- 269 13 after 'there is 'insert 'only.'
- 5 for 'A' read 'B'—line 8, for the second 'a' at top and bottom write 'b'
  —line 10, for 'A' write 'B'.
- 277 1 and 2, dele last 's' in 'survives'.
- 282 3 transpose the '3' and '2'—line 7, in denominator dele 'π,' in numerator dele '1—.'
- 289 1 after ' $N_x =$ ,' insert '1 ,'—line 3, after 'become' insert '— ,'—line 5, at the commencement insert '—,'—line 8, after 'b' insert '— ,'.
- 290 1 at the commencement insert '-,'-line 2, before 'r' insert '-,'-line 3,
  - to  $\frac{L}{\frac{c-\frac{1}{2}p}{L}}$  prefix '+' instead of '--,'-line 6, for 'with' put 'without'
  - —line 3 from bottom, in symbol, for 'o' write '80'—line 2 from bottom, for 'n' put '\pi'.
- 291 1 and 2 from bottom, dele dash above 'N.'
- 294 5 insert . t' before the semicolon.